EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 25 | (Hassan-Ahmed Zou-Bo Patterson-Ian).in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/29 12:45 |
| L3 | 3 | 1 and (wireless near5 (assembl $3 reassembl$3 re-assembl $3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/29 12:50 |
| L4 | 24 | (wireless near5 (assembl$3 reassembl$3 re-assembl$3)) same gateway same interface same ((owner ownership own $3) request$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/29 12:52 |
| L5 | 0 | ((wireless near5 (assembl$3 reassembl$3 re-assembl$3)) same gateway same interface same ((owner ownership own $3) request$3)).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/29 12:52 |
| L6 | 23 | 4 and (@ad<"20040226" @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/29 12:53 |
| L7 | 0 | (wireless near5 (assembl$3 reassembl$3 re-assembl$3)) same gateway same ((multiple plurality group) with interface) same ((owner ownership own $3) request$3) and (@ad<"20040226" @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/29 12:55 |
| S1 | 1 | 10/786003.app. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 07:53 |
| S2 | 3 | "1383292" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 07:52 |
| S3 | 1 | 10/786003.app. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 07:53 |
| S4 | 1 | "20050190776" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 08:30 |
| S5 | 112 | (packet with sequence same assembl$3) (wireless with network) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 08:59 |

| S6 | 0 | ((packet with sequence) same (pre ADJ determin$3) same request$3 same assembl$3) (wireless with network) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 08:38 |
| S7 | 7 | ((packet with sequence) same request$3 same assembl$3) (wireless with network) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 08:52 |
| S8 | 5 | ((packet with sequence) same request$3 same assembl$3) (wireless with network) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 08:53 |
| S9 | 5 | ((packet with sequence) same request$3 same assembl$3) interface (wireless with network) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 08:55 |
| S10 | 4 | ((packet with sequence) same request$3 same assembl$3) distribut$3 interface ((wireless or mobile) with network) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 08:56 |
| S11 | 316 | (packet with sequence same assembl$3) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:00 |
| S12 | 53 | (packet with sequence same assembl$3) gateway (370/231,394,401.ccls. or 455/426.1,564.ccls. or 709/203,225,229.ccls. or 379/442,456.ccls.) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:04 |
| S13 | 37 | (packet with sequence same assembl$3) ((wireless or mobile) network) gateway (370/231,394,401.ccls. or 455/426.1,564.ccls. or 709/203,225,229.ccls. or 379/442,456.ccls.) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:06 |
| S14 | 9 | (packet with sequence same request$3 same assembl$3) ((wireless or mobile) network) gateway (370/231,394,401. ccls. or 455/426.1,564.ccls. or 709/203,225,229.ccls. or 379/442,456.ccls.) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:07 |
| S15 | 9 | (packet with sequence same request$3 same assembl$3) ((wireless or mobile) network) gateway (370/231,394,401. ccls. or 455/426.1,564.ccls. or 709/203,225,229.ccls. or 379/442,456.ccls.) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:07 |

| S16 | 7 | (packet with sequence same request$3 same assembl$3) ((wireless or mobile) network) gateway (370/231,394,401. ccls. or 455/426.1,564.ccls. or 709/203,225,229.ccls. or 379/442,456.ccls.) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:14 |
|-----|---|---|---|---|---|---|
| S17 | 0 | (interface adj device) (receiv$3 with packet with sequence same ((wireless or mobile) network)) ((miss$3 with packet) with (send$3 or transmit$3) with request$3) (assembl$3 with packet with message) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:20 |
| S18 | 1 | (interface adj device) (receiv$3 with packet with sequence same ((wireless or mobile) network)) ((miss$3 with packet) with (send$3 or transmit$3) with request$3) (assembl$3 with packet with message) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:20 |
| S19 | 1 | (interface with device) (receiv$3 with packet with sequence same ((wireless or mobile) network)) ((miss$3 with packet) with (send$3 or transmit$3) with request$3) (assembl$3 with packet with message) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:21 |
| S20 | 1 | (receiv$3 with packet with sequence same ((wireless or mobile) network)) ((miss$3 with packet) with (send$3 or transmit$3) with request$3) (assembl$3 with packet with message) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:22 |
| S21 | 1 | (receiv$3 with packet with sequence same ((wireless or mobile) network)) (request$3 with miss$3 with packet) (assembl$3 with packet with message) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:24 |
| S22 | 1 | (receiv$3 with packet same sequence same ((wireless or mobile) network)) (miss$3 with packet same request$3) (assembl$3 with packet same message) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:26 |

| S23 | 1 | (packet with sequence same ((wireless or mobile) network)) (miss$3 with packet same request$3) (assembl$3 with packet same message) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:27 |
| S24 | 11 | (packet with sequence same ((wireless or mobile) network)) request$3 (assembl $3 with packet same message) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:28 |
| S25 | 2 | (receiv$3 with packet with sequence same ((wireless or mobile) network)) request$3 (assembl$3 with packet same message) gateway | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:29 |
| S26 | 6 | (packet with sequence same ((wireless or mobile) network)) request$3 (assembl $3 with packet same message) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:32 |
| S27 | 1 | (receiv$3 with packet with sequence same ((wireless or mobile) network)) request$3 (assembl$3 with packet same message) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:29 |
| S28 | 6 | (network with interface) (packet with sequence same ((wireless or mobile) network)) request$3 (assembl $3 with packet same message) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:51 |
| S29 | 47 | (packet same ((wireless or mobile) network)) (sequence with control) (assembl$3 with packet same message) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:26 |
| S30 | 19 | (packet same ((wireless or mobile) with network)) (sequence with control) (assembl$3 with packet same message) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 09:53 |
| S31 | 12 | (packet same ((wireless or mobile) with network)) (sequence with control) request$3 (assembl$3 with packet same message) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:05 |

| S32 | 22 | (packet same ((wireless or mobile) with network)) (sequence with control) request$3 (assembl$3 with packet same message) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:06 |
| S33 | 11 | (receiv$3 with packet same ((wireless or mobile) with network)) (sequence with control) (request$3 with packet) (assembl$3 with packet same message) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:09 |
| S34 | 2 | ((wireless or mobile) with (data or packet) with sequence with control) (request$3 with packet) (assembl$3 with packet same message) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:20 |
| S35 | 2 | (distributed with assembl$3 with wireless with packet).ab, ti. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:21 |
| S36 | 450 | (receiv$3 (data or packet) with ((wireless or mobile) network)) sequence (assembl $3 with packet) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:53 |
| S37 | 171 | (receiv$3 with (data or packet) with((wireless or mobile) network)) sequence (assembl $3 with packet) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:31 |
| S38 | 171 | (receiv$3 with (data or packet) with ((wireless or mobile) network)) sequence (assembl $3 with packet) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:31 |
| S39 | 33 | (receiv$3 with (data or packet) with ((wireless or mobile) network)) sequence (assembl $3 with packet with message) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:31 |
| S40 | 24 | (receiv$3 with (data or packet) with ((wireless or mobile) network)) (sequence with control) (assembl$3 with (wireless or mobile) with (data or packet)) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:35 |

| S41 | 15 | (receiv$3 with (data or packet) with ((wireless or mobile) network)) (sequence with control) distributed (assembl $3 with (wireless or mobile) with (data or packet)) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 10:35 |
| S42 | 35 | (receiv$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) request distributed (assembl$3 with packet) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:33 |
| S43 | 70 | (receiv$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) distributed ((reconstruct$3 or assembl$3) with packet) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:04 |
| S44 | 51 | (receiv$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) request distributed ((reconstruct$3 or assembl$3) with packet) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:05 |
| S45 | 24 | (receiv$3 (data or packet) with ((wireless or mobile) network)) ((determin$3 with sequence) same request) distributed ((reconstruct$3 or assembl$3) with packet) gateway @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:06 |
| S46 | 49 | (receiv$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) request distributed (assembl$3 with packet) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:34 |
| S47 | 69 | (receiv$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) request distributed (assembl$3 with packet) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:35 |

| S48 | 0 | (receiv$3 (data or packet) with ((wireless or mobile) network)) (sequence with control) (distributed with wireless with assembly) ((reconstruct$3 or assembl$3) with packet) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:36 |
|---|---|---|---|---|---|---|
| S49 | 137 | (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with sequence) distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:38 |
| S50 | 113 | (interface with (device or unit)) (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with sequence) distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:39 |
| S51 | 25 | (wireless with interface with (device or unit)) (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with sequence) distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:39 |
| S52 | 42 | (wireless with interface with (system or device or unit)) (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with sequence) distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:40 |

| S53 | 0 | (wireless with interface with (system or device or unit)) (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with sequence with (pre adj determin$3)) distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge or router) @ad< "20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:41 |
|-----|-----|-----|-----|-----|-----|-----|
| S54 | 0 | (wireless with interface with (system or device or unit)) (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with sequence with "pre-determined") distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge or router) @ad< "20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:41 |
| S55 | 113 | (wireless with interface with (system or device or unit)) (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with (sequence or order)) distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge or router) @ad< "20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:46 |
| S56 | 6 | (wireless with interface with (system or device or unit)) (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with (sequence or order)) (request$3 with missing with packet) distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge or router) @ad< "20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:49 |
| S57 | 17 | (wireless with interface with (system or device or unit)) (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with (sequence or order)) (request$3 with (missing or lost) with packet) distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge or router) @ad< "20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 11:50 |

| S58 | 17 | (wireless with interface with (system or device or unit)) (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with (sequence or order)) (request $3 with (missing or lost) with packet) distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 12:04 |
|-----|----|-----|-----|-----|-----|-----|
| S59 | 26 | (receiv$3 (data or packet) with ((wireless or mobile) network)) (determin$3 with (sequence or order)) (request $3 with (missing or lost) with packet) distributed ((reconstruct$3 or assembl$3) with packet) (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 12:06 |
| S60 | 17 | (receiv$3 with (wireless or mobile) with (data or packet)) (determin$3 with (sequence or order)) (request$3 with (missing or lost) with packet) ((reconstruct$3 or assembl$3) with packet) (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 12:18 |
| S61 | 0 | (receiv$3 with packet with (wireless or mobile) with network) (determin$3 with packet with meet$3 with criteria) (request$3 with (missing or lost) with packet) ((reconstruct$3 or assembl$3) with packet with message) (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 12:21 |
| S62 | 1 | (receiv$3 with packet with (wireless or mobile) with network) (determin$3 with packet with meet$3 with criteria) (request$3 with (missing or lost) with packet) ((reconstruct$3 or assembl$3) with packet with message) (gateway or bridge) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 12:20 |
| S63 | 0 | (receiv$3 with packet with (wireless or mobile)) (determin $3 with packet with criteria) (request$3 with (missing or lost) with packet) ((reconstruct $3 or assembl$3) with packet with message) (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 12:25 |

| S64 | 0 | (receiv$3 with packet with (wireless or mobile)) (determin $3 with packet with (criteria or condition)) (request$3 with (missing or lost) with packet) ((reconstruct$3 or assembl$3) with packet with message) (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 12:25 |
|-----|---|---|---|---|---|---|
| S65 | 0 | (receiv$3 with packet with (wireless or mobile)) (determin $3 with packet with (criteria or condition)) (request$3 with (missing or lost) with packet) ((reconstruct$3 or assembl$3) with packet) (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 12:26 |
| S66 | 15 | (receiv$3 with packet with (wireless or mobile)) (determin $3 with packet with (sequence or order)) (request$3 with (missing or lost) with packet) ((reconstruct$3 or assembl$3) with packet) (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 13:03 |
| S67 | 16 | (receiv$3 with packet with (wireless or mobile)) (determin $3 with packet with (sequence or order)) (request$3 with (missing or lost) with packet) ((reconstruct$3 or assembl$3 or reassembl$3 or re-assembl $3) with packet) (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:30 |
| S68 | 5 | ("6088342" \| "6330435" \| "6519223" \| "6532211" \| "6628641").PN. | US-PGPUB; USPAT; USOCR | AND | ON | 2007/08/28 14:29 |
| S69 | 212 | data with transfer with handover | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:31 |
| S70 | 27 | (data with transfer with handover) (sequence with control) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:35 |
| S71 | 2 | (data with transfer with handover) (request$3 with (missing or lost) with packet) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:37 |
| S72 | 168 | (data with transfer with handover) packet | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:37 |
| S73 | 29 | (data with transfer with handover) packet (assembl$3 or reconstruct$3 or reassembl $3 or re-assembl$3) | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:39 |

| S74 | 17 | (data with transfer with handover) packet (assembl$3 or reconstruct$3 or reassembl $3 or re-assembl$3) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:44 |
|-----|----|----|----|----|----|----|
| S75 | 15 | (data with transfer with handover) request$3 packet (assembl$3 or reconstruct$3 or reassembl$3 or re-assembl $3) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:45 |
| S76 | 2 | ((transfer$4 or transmit$4) with (data adj packet) with handover) (request$3 with packet) (assembl$3 or reconstruct$3 or reassembl$3 or re-assembl$3) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:50 |
| S77 | 2 | ((transfer$4 or transmit$4 or forward$3) with (data adj packet) with handover) (request$3 with packet) (assembl$3 or reconstruct$3 or reassembl$3 or re-assembl $3) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:52 |
| S78 | 57 | ((transfer$4 or transmit$4 or forward$3) with (data adj packet) with handover) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:54 |
| S79 | 5 | ((transfer$4 or transmit$4 or forward$3) with (data adj packet) with handover) (assembl$3 or reconstruct$3 or reassembl$3 or re-assembl $3) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:52 |
| S80 | 18 | ((transfer$4 or transmit$4 or forward$3) with (data adj packet) with handover) wireless (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 17:02 |
| S81 | 44 | ((transfer$4 or transmit$4 or forward$3) with (data adj packet) with (handoff or handover)) wireless (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:58 |
| S82 | 9 | ((transfer$4 or transmit$4 or forward$3) with (data adj packet) with (handoff or handover)) ((assembl$3 or reconstruct$3 or reassembl$3 or re-assembl$3) with packet) wireless (gateway or bridge) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 16:59 |

| S83 | 21 | ((transfer$4 or transmit$4 or forward$3) with (data adj packet) with handover) wireless (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 17:26 |
| S84 | 12 | ((transfer$4 or forward$3) with (data adj packet) with handover) wireless (gateway or bridge or router) @ad<"20040226" | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2007/08/28 17:27 |
| S85 | 77 | ((AHMED) near2 (HASSAN)). INV. | US-PGPUB; USPAT | AND | ON | 2007/08/30 18:21 |
| S86 | 3 | ((BO) near2 (ZOU)).INV. | US-PGPUB; USPAT | AND | ON | 2007/08/30 18:21 |
| S87 | 25 | ((IAN) near2 (PATTERSON)). INV. | US-PGPUB; USPAT | AND | ON | 2007/08/30 18:22 |
| S88 | 2211 | distributed with packet (assembl$3 or reassembl$3 or re-assembl$3) (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/04 17:03 |
| S89 | 0 | distributed with packet with (assembl$3 or reassembl$3 or re-assembl$3) with final (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/04 17:13 |
| S90 | 91 | distributed with packet with (assembl$3 or reassembl$3 or re-assembl$3) (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/04 17:13 |
| S91 | 12 | (distributed with packet with (assembl$3 or reassembl$3 or re-assembl$3)).ti,ab. (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/04 17:14 |
| S92 | 8 | "20020045435" or "7103025" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/02/05 06:25 |
| S93 | 0 | ((distributed with (data or packet) with (assembl$3 or reassembl$3 or re-assembl $3)) same (request$3 or forward$3) with (missing near3 (data or packet))) (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 07:29 |

| S94 | 89 | (((data or packet) with (assembl$3 or reassembl$3 or re-assembl$3)) same (request $3 or forward$3) with (missing near3 (data or packet))) (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 07:31 |
| S95 | 89 | (((data or packet) with (assembl $3 or reassembl$3 or re-assembl$3)) same ((request$3 or forward$3) with (missing near3 (data or packet))) (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 07:31 |
| S96 | 0 | (distributed with (data or packet) with (assembl$3 or reassembl$3 or re-assembl $3)) same ((request$3 or forward$3) with (missing near3 (data or packet))) (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 07:50 |
| S97 | 265 | (((data or packet) with (assembl $3 or reassembl$3 or re-assembl$3)) 370/394.ccls. (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 08:42 |
| S98 | 5 | (((data or packet) with (assembl$3 or reassembl$3 or re-assembl$3)) same gateway) 370/394.ccls. (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 08:49 |
| S99 | 4 | (((data or packet) with (reassembl$3 or re-assembl $3)) same gateway) 370/394. ccls. (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 08:50 |
| S100 | 4 | (((data or packet or message) with (reassembl$3 or re-assembl$3)) same gateway) 370/394.ccls. (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 08:51 |
| S101 | 4 | (((data or packet or message or pdu) with (reassembl$3 or re-assembl$3)) same gateway) 370/394.ccls. (@ad<"20040226" or @rlad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 09:08 |

| S102 | 0 | (((data or packet or message or pdu) with (reassembl$3 or re-assembl$3)) same (redundan$3 with gateway)) 370/394.ccls. (@ad< "20040226" or @rlad< "20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 09:12 |
| S103 | 3 | (((data or packet or message or pdu) with (reassembl$3 or re-assembl$3)) same (redundan$3 with gateway)) (@ad< "20040226" or @rlad< "20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 09:12 |
| S104 | 15 | (((data or packet or message or pdu) with (reassembl$3 or re-assembl$3 or reconstruc $3)) same ((multiple or redundan$3) with gateway)) (@ad< "20040226" or @rlad< "20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 09:14 |
| S105 | 17 | (((data or packet or message or pdu) with (reassembl$3 or re-assembl$3 or reconstruc $3)) same ((multiple or redundan$3 or distributed) with gateway)) (@ad< "20040226" or @rlad< "20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/02/05 09:18 |
| S106 | 115 | ((distributed or decentralized or de-centralized) with (assembl$3 or reassembl$3 or re-assembl$3)) same wireless (@ad< "20040226" or @rlad< "20040226" or @prad< "20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:00 |
| S107 | 0 | S106 370/331.ccls. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:07 |
| S108 | 0 | S106 370/394.ccls. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:08 |
| S109 | 0 | S106 370/401.ccls. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:08 |
| S110 | 0 | S106 370/474.ccls. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:08 |
| S111 | 630 | (packet with (assembl$3 or reassembl$3 or re-assembl $3)) same wireless (@ad< "20040226" or @rlad< "20040226" or @prad< "20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:09 |

| S112 | 21 | S111 370/331.ccls. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:09 |
| S113 | 7 | S111 370/394.ccls. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:09 |
| S114 | 28 | S111 370/401.ccls. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:09 |
| S115 | 32 | S111 370/474.ccls. | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:09 |
| S116 | 14504 | ((distributed or decentralized or de-centralized) with (assembl$3 or reassembl$3 or re-assembl$3)) (@ad<"20040226" or @rlad<"20040226" or @prad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:11 |
| S117 | 194 | ((distributed or decentralized or de-centralized) with (assembl$3 or reassembl$3 or re-assembl$3)) same (wireless or mobile) (@ad<"20040226" or @rlad<"20040226" or @prad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:12 |
| S118 | 8 | ((distributed or decentralized or de-centralized) with packet with (assembl$3 or reassembl$3 or re-assembl$3)) same (wireless or mobile) (@ad<"20040226" or @rlad<"20040226" or @prad<"20040226") | US-PGPUB; USPAT; EPO; JPO | AND | ON | 2008/06/29 18:13 |

11/29/2008 1:21:42 PM
C:\ Documents and Settings\ yzhou\ My Documents\ EAST\ Workspaces\ 10786003.wsp